



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For jsrdf.org | Verdict: **Compliant!**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **jsrdf.org** as of Wed Mar 01 2023, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	15	0	100%

Code snapshots of some successful elements

```
<a class="elementor-icon " href="JavaScript:void(0);" role="button" data-acsb-textual-ops="menu"> <span data-="true" " aria-hidden="false" > Menu </span><svg xmlns="http://www.w3.org/2000/svg" width="50" height="35" viewBox="0 0 50 35" aria-hi...
```

```
<a class="elementor-icon " href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6IjM5NzciLCJ0b2dnbGUiOmZhbHnlfQ%3D%3D" role="button" data-acsb-textual-ops="search"> <span data-="true" " aria-hidden="false" > Search </span><svg a...
```

```
<div class="elementor-element elementor-element-bfd6f6a elementor-view-default none elementor-widget elementor-widget-icon " data-id="bfd6f6a" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-f579ded mts mbs tileHeader default none elementor-widget elementor-widget-heading " data-id="f579ded" data-element_type="widget" data-widget_type="heading.default" tabindex="0" role="button"> <di...
```

```
<div class="elementor-element elementor-element-49677ad elementor-view-default none elementor-widget elementor-widget-icon " data-id="49677ad" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-ecd4cc5 elementor-view-default none elementor-widget elementor-widget-icon " data-id="ecd4cc5" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-8d4a146 elementor-view-default none elementor-widget elementor-widget-icon " data-id="8d4a146" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-681d941 elementor-view-default none elementor-widget elementor-widget-icon " data-id="681d941" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-8f6511e mts mbs tileHeader default none elementor-widget elementor-widget-heading " data-id="8f6511e" data-element_type="widget" data-widget_type="heading.default" tabindex="0" role="button"> <di...
```

```
<div class="elementor-element elementor-element-08e20dd elementor-view-default none elementor-widget elementor-widget-icon " data-id="08e20dd" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

- 2 [Buttons should include text explaining their functionality, and if icons are used as buttons, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

15

0

100%

Code snapshots of some successful elements

```
<a class="elementor-icon " href="JavaScript:void(0);" role="button" data-acsb-textual-ops="menu"> <span data-="true" " aria-hidden="false" > Menu </span><svg xmlns="http://www.w3.org/2000/svg" width="50" height="35" viewBox="0 0 50 35" aria-hi...
```

```
<a class="elementor-icon " href="#elementor-action%3Aaction%3Dpopup%3Aopen%26settings%3DeyJpZCI6IjM5NzciLCJ0b2dnbGUiOmZhbHNlfQ%3D%3D" role="button" data-acsb-textual-ops="search"> <span data-="true" " aria-hidden="false" > Search </span><svg a...
```

```
<div class="elementor-element elementor-element-bfd6f6a elementor-view-default none elementor-widget elementor-widget-icon " data-id="bfd6f6a" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-f579ded mts mbs tileHeader default none elementor-widget elementor-widget-heading " data-id="f579ded" data-element_type="widget" data-widget_type="heading.default" tabindex="0" role="button"> <di...
```

```
<div class="elementor-element elementor-element-49677ad elementor-view-de
fault none elementor-widget elementor-widget-icon " data-id="49677ad" dat
a-element_type="widget" data-widget_type="icon.default" tabindex="0" role
="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-ecd4cc5 elementor-view-de
fault none elementor-widget elementor-widget-icon " data-id="ecd4cc5" dat
a-element_type="widget" data-widget_type="icon.default" tabindex="0" role
="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-8d4a146 elementor-view-de
fault none elementor-widget elementor-widget-icon " data-id="8d4a146" dat
a-element_type="widget" data-widget_type="icon.default" tabindex="0" role
="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-681d941 elementor-view-de
fault none elementor-widget elementor-widget-icon " data-id="681d941" dat
a-element_type="widget" data-widget_type="icon.default" tabindex="0" role
="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-8f6511e mts mbs tileHeade
r default none elementor-widget elementor-widget-heading " data-id="8f651
1e" data-element_type="widget" data-widget_type="heading.default" tabinde
x="0" role="button"> <di...
```

```
<div class="elementor-element elementor-element-08e20dd elementor-view-de
fault none elementor-widget elementor-widget-icon " data-id="08e20dd" dat
a-element_type="widget" data-widget_type="icon.default" tabindex="0" role
="button" data-acsb-textual-...
```

-
- 3 [Links should include text that is setting expectations to what page they are leading to. If empty links are used as layout wrapping elements, a screen-reader only text or an "aria-label" attribute should be used for that description.](#)

Yes

19

0

100%

Code snapshots of some successful elements

```
<a href="https://www.facebook.com/pg/JSRDF/groups/" target="_blank" data-
acsb-tooltip="Use ←/→ to navigate" data-acsb-menu="a" data-acsb-menu-root
-link="true"> <span data-="true" " aria-hidden="false" > Facebook New Win
dow </span><sp...
```

```
<a href="https://jsrdf.org/contact-us/" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="elementor-icon-list-icon"> <svg xmlns="http://www.w3.org/2000/svg" width="34.875" height="34.875" viewBox="0 0 34.875 34.875">
```

```
<a href="https://jsrdf.org/healthcare-recommendations/" data-acsb-menu="a" data-acsb-menu-root-link="true"> <span class="elementor-icon-list-icon"> <svg xmlns="http://www.w3.org/2000/svg" width="40.501" height="36.001" viewBox="0 0 40.501 36.001">
```

```
<a href="https://jsrdf.org" > <span data-acsb-menu="a" data-acsb-menu-root-link="true" aria-hidden="false" > Home </span>Skip to content</a>
```

```
<a href="https://www.facebook.com/pg/JSRDF/groups/" target="_blank" rel="noopener" data-acsb-tooltip="New Window" style="background-color:#ffffff!important;color:#000000!important;"><span data-acsb-menu="a" data-acsb-menu-root-link="true" aria-hidden="false" > Facebook New Window...
```

```
<a href="https://jsrdf.org/healthcare-recommendations/" style="background-color:#ffffff!important;color:#000000!important;">Information For Medical Professionals</a>
```

```
<a href="https://jsrdf.org/living-with-js/" style="background-color:#ffffff!important;color:#000000!important;">More About Living With JS</a>
```

```
<a href="https://whova.com/web/BdkHkbBC%409ItWriKJC9BcybY9ymOvsR%40ja4I4xEi-Js%3D/" target="_blank" data-acsb-tooltip="New Window" style="background-color:#ffffff!important;color:#000000!important;"><span data-acsb-menu="a" data-acsb-menu-root-link="true" aria-hidden="false" > Ne...
```

```
<a class="elementor-icon" href="https://whova.com/web/BdkHkbBC%409ItWriKJC9BcybY9ymOvsR%40ja4I4xEi-Js%3D/" target="_blank" data-acsb-tooltip="New Window" data-acsb-scrape-url="https://whova.com/web/BdkHkbBC%409ItWriKJC9BcybY9ymOvsR%40ja4I4xEi-Js%3D/">
```

window should either have an "aria-label" attribute or a screen-reader only element

explaining to screen-readers that this opens in a new tab.

Code snapshots of some successful elements

```
<a href="https://www.facebook.com/pg/JSRDF/groups/" target="_blank" data-acs
b-tooltip="Use ←/→ to navigate" data-acsb-menu="a" data-acsb-menu-root-
-link="true"> <span data-="true" " aria-hidden="false" > Facebook New Win
dow </span><sp...
```

```
<a href="https://www.facebook.com/pg/JSRDF/groups/" target="_blank" rel
="noopener" data-acsb-tooltip="New Window" style=";background-color:#ffff
ff!important;color:#000000!important;"><span data-="true" " aria-hidden
="false" > Facebook New Window...
```

```
<a href="https://whova.com/web/BdkHkbBC%409ItWriKJC9BcybY9ymOvsR%40ja4I4x
Ei-Js%3D/" target="_blank" data-acsb-tooltip="New Window" style=";backgro
und-color:#ffffff!important;color:#000000!important;"><span data-="true"
" aria-hidden="false" > Ne...
```

```
<a class="elementor-icon" href="https://whova.com/web/BdkHkbBC%409ItWriKJ
C9BcybY9ymOvsR%40ja4I4xEi-Js%3D/" target="_blank" data-acsb-tooltip="New
Window" data-acsb-scrape-url="https://whova.com/web/BdkHkbBC%409ItWriKJC9
BcybY9ymOvsR%40ja4I4xEi-Js%3...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-twit
ter elementor-repeater-item-3f9a1d0 " href="https://twitter.com/jsrdf" ta
rget="_blank" data-acsb-tooltip="New Window" data-acsb-force-unnavigate
="true" tabindex="-1" style=";...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon-yout
ube elementor-repeater-item-da433e5 " href="https://www.youtube.com/chann
el/UCE2EKsTC1lRdB70AnkL0nIA" target="_blank" data-acsb-tooltip="New Windo
w" data-acsb-force-unnavigate...
```

```
<a class="elementor-icon elementor-social-icon elementor-social-icon- ele
mentor-repeater-item-ce5906a " href="https://www.facebook.com/Joubert-Syn
drome-Related-Disorders-Foundation-180691234440/" target="_blank" data-ac
sb-tooltip="New Window" data-a...
```

```
<a style="undefined;background-color:#ffffff!important" class="npc " href="https://neonpigcreative.com/" target="_blank" rel="nofollow" data-acsb-tooltip="New Window" data-acsb-force-un navigable="true" tabindex="-1" data-acsb-original-style="color:...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

Code snapshots of some successful elements

```
<h1 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Wherever you are in your journey, we can help.</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	4	0	100%
---	---	-----	---	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
---	--	----	---	---	---

8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
---	--	----	---	---	---

9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	10	0	100%
---	---	-----	----	---	------

Code snapshots of some successful elements

```
<div class="elementor-element elementor-element-bfd6f6a elementor-view-default none elementor-widget elementor-widget-icon " data-id="bfd6f6a" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-f579ded mts mbs tileHeader default none elementor-widget elementor-widget-heading " data-id="f579ded" data-element_type="widget" data-widget_type="heading.default" tabindex="0" role="button"> <di...
```

```
<div class="elementor-element elementor-element-49677ad elementor-view-default none elementor-widget elementor-widget-icon " data-id="49677ad" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-ecd4cc5 elementor-view-default none elementor-widget elementor-widget-icon " data-id="ecd4cc5" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-8d4a146 elementor-view-default none elementor-widget elementor-widget-icon " data-id="8d4a146" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-681d941 elementor-view-default none elementor-widget elementor-widget-icon " data-id="681d941" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-8f6511e mts mbs tileHeader default none elementor-widget elementor-widget-heading " data-id="8f6511e" data-element_type="widget" data-widget_type="heading.default" tabindex="0" role="button"> <di...
```

```
<div class="elementor-element elementor-element-08e20dd elementor-view-default none elementor-widget elementor-widget-icon " data-id="08e20dd" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```

```
<div class="elementor-element elementor-element-0d29c7d elementor-view-default none elementor-widget elementor-widget-icon " data-id="0d29c7d" data-element_type="widget" data-widget_type="icon.default" tabindex="0" role="button" data-acsb-textual-...
```



```
<div class="elementor-element elementor-element-c2e0742 elementor-view-de
fault none elementor-widget elementor-widget-icon " data-id="c2e0742" dat
a-element_type="widget" data-widget_type="icon.default" tabindex="0" role
="button" data-acsb-textual-...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role"	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<ul class="elementor-icon-list-items elementor-inline-items" data-acsb-menu="ul" > <li class="elementor-icon-list-item elementor-inline-item" data-acsb-menu="li" data-acsb-menu-root="true"> <a href="https://www.facebook.com/pg/JSRDF..."
```

16	Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".	No	0	0	-
17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	No	0	0	-
18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	2	2	50%

Code snapshots of some successful elements

```
</span>
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fab-facebook" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M504 256C504 119 393 8 256 8S119 8 256 123.78 90.69 226.38 209.25 245V327.69h-63V256h..."
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="34.875" height="34.875" viewBox="0 0 34.875 34.875" aria-hidden="true" data-acsb-force-hidden="true" ><path id="Icon_awesome-arrow-alt-circle-right" data-name="Icon_awesome-arrow-alt-circle-right" d="M1..."
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="40.501" height="36.001" viewBox="0 0 40.501 36.001" aria-hidden="true" data-acsb-force-hidden="true" ><path id="Icon_awesome-clinic-medical" data-name="Icon_awesome-clinic-medical" d="M20.25,8.086,4.885..."
```

```
<svg class="e-font-icon-svg e-fas-chevron-right" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M285.476 272.971L91.132 467.314c-9.373 9.373-24.569 9.373-33.941 0l-22.667-22.667c-9..."
```

```
<svg xmlns="http://www.w3.org/2000/svg" width="50" height="35" viewBox="0 0 50 35" aria-hidden="true" data-acsb-force-hidden="true" ><g id="Icon_feather-menu" data-name="Icon feather-menu" transform="translate(-2 -6.5)" ><path id="Path_294" data-nam...
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-search" viewBox="0 0 512 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M505 442.7L405.3 343c-4.5-4.5-10.6-7-17-7H372c27.6-35.3 44-79.7 44-128C416 93.1 322.9 0 208..."
```

```
<svg class="e-font-icon-svg e-eicon-cart-medium" viewBox="0 0 1000 1000" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-force-hidden="true" ><path d="M740 854C740 883 763 906 792 906S844 883 844 854 820 802 792 802 740 825 740 854ZM..."
```

```
<span id="primary" aria-hidden="true" data-acsb-force-hidden="true" ></span>
```

```
<svg aria-hidden="true" class="e-font-icon-svg e-fas-chevron-right" viewBox="0 0 320 512" xmlns="http://www.w3.org/2000/svg" data-acsb-force-hidden="true" ><path d="M285.476 272.971L91.132 467.314c-9.373 9.373-24.569 9.373-33.941 0l-22.667-22.667c-9..."
```

21	Figure elements that are used to display images should have a "role" attribute that equals to "none" and the image provide itself should provide the description using an "alt" attribute.	No	0	0	-
22	Every "area" element of a "map" tag should be regarded as a standard image and receive an alternative text description using an "alt" attribute.	No	0	0	-
23	Small or hidden tracker pixel images (often used for analytics or marketing purposes) should include a "role" attribute that equals to "none" or "presentation" so they are excluded from screen-readers.	No	0	0	-

label" attribute or a connected LABEL

element describing the requirement of the field (email, phone, name, etc.).

Code snapshots of some successful elements

```
<input size="1" type="text" name="form_fields[name]" id="form-field-name" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Name" aria-hidden="false" data-acsb-validation-uuid="form-field-name" data-acsb-field-visible...
```

```
<input size="1" type="email" name="form_fields[email]" id="form-field-email" class="elementor-field elementor-size-sm elementor-field-textual" placeholder="Email" required="true" aria-required="true" aria-hidden="false" data-acsb-validation-uuid=...
```

25	Form elements cannot have the same ID, or else their corresponding label will provide false information.	No	0	0	-
26	Required form fields should include an "aria-required" attribute that equals to "true" so blind users using screen-readers know their validation.	No	0	0	-
27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	21	0	100%

Code snapshots of some successful elements

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-167766976774488
13-2" role="group" aria-hidden="true" aria-labelledby="sm-167766976774488
13-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_ty
pe menu-item-object-page menu-...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-167766976774488
13-4" role="group" aria-hidden="true" aria-labelledby="sm-167766976774488
13-3" aria-expanded="false" > <li class="menu-item menu-item-type-post_ty
pe menu-item-object-page menu-...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-167766976774488
13-6" role="group" aria-hidden="true" aria-labelledby="sm-167766976774488
13-5" aria-expanded="false" > <li class="menu-item menu-item-type-post_ty
pe menu-item-object-page menu-...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-167766976774488
13-8" role="group" aria-hidden="true" aria-labelledby="sm-167766976774488
13-7" aria-expanded="false" > <li class="menu-item menu-item-type-post_ty
pe menu-item-object-page menu-...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-167766976774488
13-10" role="group" aria-hidden="true" aria-labelledby="sm-16776697677448
813-9" aria-expanded="false" > <li class="menu-item menu-item-type-post_t
ype menu-item-object-page menu...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-167766976774846
39-2" role="group" aria-hidden="true" aria-labelledby="sm-167766976774846
39-1" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-167766976774846
39-4" role="group" aria-hidden="true" aria-labelledby="sm-167766976774846
39-3" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-167766976774846
39-6" role="group" aria-hidden="true" aria-labelledby="sm-167766976774846
39-5" aria-expanded="false" style=";background-color:#ffffff!important;co
lor:#000000!important;" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-167766976774846
39-8" role="group" aria-hidden="true" aria-labelledby="sm-167766976774846
39-7" aria-expanded="false" style=";background-color:#ffffff!important;co
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-16776697677484639-10" role="group" aria-hidden="true" aria-labelledby="sm-16776697677484639-9" aria-expanded="false" style=";background-color:#ffffff!important;color:#000000!important;" > <li...
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	Yes	Pass	-	100%
----	---	-----	------	---	------

Code snapshots of some successful elements

```
<form class="elementor-form" method="post" name="New Form" data-acsb-form-uuid="adjaaqz1fcff" data-acsb-form-type="standard"> <input type="hidden" name="post_id" value="26" aria-hidden="true" tabindex="-1" > <input type="hidden" name="form_id...
```

30	Search forms should include a "role" tag that equals to "search" (or be wrapped by one) to indicate a search landmark for screen-readers.	No	0	0	-
----	---	----	---	---	---

31	The title tag of the HEAD section (also the title that appears in the browser tab and Search Engine result pages) should exist and describe the name of the current webpage for screen-reader users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<title aria-hidden="true" style=";background-color:#ffffff!important;color:#000000!important;" >Helping Families All Around The World - Joubert Syndrome & Related Disorders Foundation</title>
```

32	The HTML tag should include a "lang" attribute that represents the main language of the webpage so screen-readers can calibrate on it for blind users.	Yes	Pass	-	100%
----	--	-----	------	---	------

Code snapshots of some successful elements

```
<html lang="en-US" id="acsb-light-contrast" class="acsb-light-contrast" >  
<head><script src="https://jsrdfs.org/wp-includes/js/wp-emoji-release.min.js?ver=6.1.1" type="text/javascript" defer=""></script><style data-acsb-dynamic-css="hovers"> .elementor...
```

33	The meta viewport tag should allow vision impaired users to pinch-zoom at least double the standard scaling using the user-scalable="yes" and maximum-scale={2 or higher} content strings.	No	0	0	-
----	--	----	---	---	---

34	Landmarks such as main content and footer should be built using their corresponding HTML5 element or include a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo" or "main". Landmarks such as search and navigation are tested in other sections.	Yes	3	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<main id="primary" class="site-main" role="presentation"> <article id="post-2" class="post-2 page type-page status-publish hentry"> <div class="entry-content"> <div data-elementor-type="wp-page" data-elementor-id="2" class="elementor elementor...
```

```
<footer id="colophon" class="site-footer" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer"> <div class="site-info"> <!-- Elementor Header --> <!-- Elementor Header --> <div data-elementor-type="section" data-...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
----	---	-----	------	---	------

36	Letter spacing should not be set to below	Yes	Pass	-	100%
----	---	-----	------	---	------

verified also when using dynamic units such as REM or percents.

37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	29	0	100%
----	--	-----	----	---	------

Code snapshots of some successful elements

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Connect With Other Families</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Contact Us For Ways To Connect</span>
```

```
<span class="elementor-icon-list-text " style=";background-color:#ffffff!important;color:#000000!important;">Connect with Medical Resources</span>
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!important;color:#000000!important;">Donate</span>
```

```
<h1 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="1">Wherever you are in your journey, we can help.</h1>
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!important;color:#000000!important;">Learn</span>
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!important;color:#000000!important;">Connect </span>
```

```
<span class="elementor-button-text " style=";background-color:#ffffff!important;color:#000000!important;">Help</span>
```

```
<h2 class="elementor-heading-title elementor-size-default " style=";background-color:#ffffff!important;color:#000000!important;" role="heading" aria-level="2">Find the Help you're looking for</h2>
```

```
<div class="elementor-heading-title elementor-size-default ">Find Healthc  
are Recommendations</div>
```

38	Carousels should include an "aria-label" attribute that equals to "carousel"/"slider" or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".	No	0	0	-
39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	No	0	0	-
40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive" values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
43	If nested tables are used (a table element within a table cell), set the nested tables "role" attribute to "presentation".	No	0	0	-

attribute that equals to "rowheader" on the

TD elements of the TR that represents the visual table headings.

45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	No	0	0	-